23rd September 2015

Dear Sir/Madam,

Thank you for your recent follow-up Freedom of Information request regarding an Audit looking at Endoscopic Retrograde Cholangiopancreatography.

The Trust can provide the following information:

Name of Trust: Homerton Hospital Trust

Do you perform ERCP? Yes

How many ERCP lists per week? 2

How many practitioners perform ERCP? 1

How many are:

Physicians? 1

surgeons? 0

radiologists? 0

Other (please specify)

Do trainees perform ERCP? Yes

How many Trainees perform ERCP? 2

Is there dedicated lists? Yes

Do practioners use Long wire, Short wire or both techniques? Combination of both

Is post sphincterotomy balloon sphinteroplasty used? If a patient has previously had a sphinectomoy then predominantly use a balloon sphincteroplasty for further biliary intervention

Is propofol sedation available? Yes (provided by a trained anaesthetist) Is there a GA list? Yes, monthly

If you have any queries about this response please contact the information governance manager at foi@homerton.nhs.uk, in the first instance. If, following that, you still have any concerns, you may contact the Information Commissioner either by letter, FOI/EIR Complaints resolution, Wycliffe House, Water Lane, Wilmslow, Cheshire SM9 5AF, or by email www.informationcommissioner.gov.uk to take them further.

Copyright Statement

The material provided is subject to the HUHFT's copyright unless otherwise indicated. Unless expressly indicated on the material to the contrary, it may be reproduced free of charge in any format or medium, provided it is reproduced accurately and not used in a misleading manner. Where any of the copyright items are being re-published or copied to others, you must identify the source of the material and acknowledge the copyright status. Permission to reproduce material does not extend to any material accessed through the Publication Scheme that is the copyright of third parties. You must obtain authorisation to reproduce such material from the copyright holders concerned.

