

14th October 2015

Dear Sir/Madam,

Thank you for your recent follow-up Freedom of Information request regarding Extravasation Information.

The Trust can provide the following information:

I would like to be provided with the following information;

- The latest total annual figures for reported extravasation injury within your NNU/NICU/SCBU**
- Model of the large volume infusion pump used on the unit**
- Model of the syringe pump used on the unit**

Please see the attached document

If you have any queries about this response please contact the information governance manager at foi@homerton.nhs.uk , in the first instance. If, following that, you still have any concerns, you may contact the Information Commissioner either by letter, FOI/EIR Complaints resolution, Wycliffe House, Water Lane, Wilmslow, Cheshire SM9 5AF, or by email www.informationcommissioner.gov.uk to take them further.

Copyright Statement

The material provided is subject to the HUHFT's copyright unless otherwise indicated. Unless expressly indicated on the material to the contrary, it may be reproduced free of charge in any format or medium, provided it is reproduced accurately and not used in a misleading manner. Where any of the copyright items are being re-published or copied to others, you must identify the source of the material and acknowledge the copyright status. Permission to reproduce material does not extend to any material accessed through the Publication Scheme that is the copyright of third parties. You must obtain authorisation to reproduce such material from the copyright holders concerned.

Yours sincerely

Mike Dunne
Information Governance Manager/Deputy Calidcott Guardian